

PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 1 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Sample / Bottom Sample (Sample I.D.# : 0705319-01) Collected: 18-May-07 By R. Lovato of PCL						
Silver	EPA 6010B	AE72102	0.02	21-May-07 (AF)	<	0.02 mg/l
Arsenic	EPA 6010B	AE72102	0.10	21-May-07 (AF)		0.15 mg/l
Barium	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.36 mg/l
Beryllium	EPA 6010B	AE72102	0.02	21-May-07 (AF)	<	0.02 mg/l
Calcium	EPA 6010B	AE72102	0.10	21-May-07 (AF)		460 mg/l
Cadmium	EPA 6010B	AE72102	0.02	21-May-07 (AF)	<	0.02 mg/l
Cobalt	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.02 mg/l
Chromium	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.04 mg/l
Copper	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.05 mg/l
Potassium	EPA 6010B	AE72102	0.10	21-May-07 (AF)		14 mg/l
Magnesium	EPA 6010B	AE72102	0.02	21-May-07 (AF)		140 mg/l
Molybdenum	EPA 6010B	AE72102	0.02	21-May-07 (AF)	<	0.02 mg/l
Sodium	EPA 6010B	AE72102	1.00	21-May-07 (AF)		199 mg/l
Nickel	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.03 mg/l
Lead	EPA 6010B	AE72102	0.02	21-May-07 (AF)	<	0.02 mg/l
Antimony	EPA 6010B	AE72102	0.10	21-May-07 (AF)	<	0.10 mg/l
Selenium	EPA 6010B	AE72102	0.10	21-May-07 (AF)	<	0.10 mg/l
Thallium	EPA 6010B	AE72102	0.10	21-May-07 (AF)	<	0.10 mg/l
Vanadium	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.09 mg/l
Zinc	EPA 6010B	AE72102	0.02	21-May-07 (AF)		0.14 mg/l
Mercury	EPA 7470A	AE72103	0.20	21-May-07 (AF)	<	0.20 ug/l
Dichlorodifluoromethane (Freon 12)	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Chloromethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Vinyl chloride	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Bromomethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Chloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Trichlorofluoromethane (Freon 11)	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,1-Dichloroethene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Acetone	EPA 624	AE71826	5.0	22-May-07 (MLA)	<	5.0 ug/l
Iodomethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 2 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Sample / Bottom Sample (Sample I.D.# : 0705319-01) Collected: 18-May-07 By R. Lovato of PCL						
Carbon disulfide	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Methylene chloride	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
t-1,2-Dichloroethene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Vinyl Acetate	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,1-Dichloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
2-Butanone (MEK)	EPA 624	AE71826	5.0	22-May-07 (MLA)	<	5.0 ug/l
Chloroform	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,1,1-Trichloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Carbon tetrachloride	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Benzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,2-Dichloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Trichloroethene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,2-Dichloropropane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Dibromomethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Bromodichloromethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
cis-1,3-Dichloropropene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Methyl isobutyl ketone	EPA 624	AE71826	5.0	22-May-07 (MLA)	<	5.0 ug/l
Toluene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
trans-1,3-Dichloropropene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,1,2-Trichloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Tetrachloroethene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
2-Hexanone	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Dibromochloromethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,2-Dibromoethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Chlorobenzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,1,1,2-Tetrachloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Ethylbenzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
m,p-Xylene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
o-Xylene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Bromoform	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 3 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Sample / Bottom Sample (Sample I.D.# : 0705319-01) Collected: 18-May-07 By R. Lovato of PCL						
t-1,4-Dichloro-2-butene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Bromobenzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,1,2,2-Tetrachloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,2,3-Trichloropropane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
c-1,4-Dichloro-2-butene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Pentachloroethane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,3-Dichlorobenzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,4-Dichlorobenzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,2-Dichlorobenzene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
1,2-Dibromo-3-chloropropane	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
2-Chloroethylvinyl ether	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Acrolein	EPA 624	AE71826	10.0	22-May-07 (MLA)	<	10.0 ug/l
Acrylonitrile	EPA 624	AE71826	10.0	22-May-07 (MLA)	<	10.0 ug/l
1,2-Dichloropropylene	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
Methyl tert-butyl ether	EPA 624	AE71826	0.5	22-May-07 (MLA)	<	0.5 ug/l
<i>Surrogate: Dibromofluoromethane</i>	<i>EPA 624</i>	<i>AE71826</i>		<i>22-May-07 (MLA)</i>		<i>101 % (80-120)</i>
<i>Surrogate: Toluene-d8</i>	<i>EPA 624</i>	<i>AE71826</i>		<i>22-May-07 (MLA)</i>		<i>102 % (80-120)</i>
<i>Surrogate: Bromofluorobenzene</i>	<i>EPA 624</i>	<i>AE71826</i>		<i>22-May-07 (MLA)</i>		<i>90.8 % (80-120)</i>
N-Nitrosodiethylamine	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
N-Nitrosodimethylamine	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
N-Nitrosodi-n-propylamine	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Phenol	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
Bis(2-chloroethyl)ether	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2-Chlorophenol	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
1,2-Dichlorobenzene	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
1,3-Dichlorobenzene	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
1,4-Dichlorobenzene	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
Benzyl Alcohol	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l
Bis(2-chloroisopropyl)ether	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2-Methylphenol	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 4 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Sample / Bottom Sample (Sample I.D.# : 0705319-01) Collected: 18-May-07 By R. Lovato of PCL						
Hexachloroethane	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
4-Methylphenol	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
Nitrobenzene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Isophorone	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2-Nitrophenol	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2,4-Dimethylphenol	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Bis(2-chloroethoxy)methane	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
1,2-Diphenylhydrazine	EPA 625	AE72118	1.0	21-May-07 (TF)	<	1.0 ug/l
Benzoic Acid	EPA 625	AE72118	25.0	21-May-07 (TF)	<	25.0 ug/l
2,4-Dichlorophenol	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
1,2,4-Trichlorobenzene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Naphthalene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
4-Chloroaniline	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Hexachlorobutadiene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
4-Chloro-3-methylphenol	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
2-Methylnaphthalene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Hexachlorocyclopentadiene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2,4,6-Trichlorophenol	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
2,4,5-Trichlorophenol	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2-Chloronaphthalene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2-Nitroaniline	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
Dimethyl phthalate	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Acenaphthylene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2,6-Dinitrotoluene	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
Acenaphthene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
3-Nitroaniline	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
2,4-Dinitrophenol	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l
Dibenzofuran	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
2,4-Dinitrotoluene	EPA 625	AE72118	5.0	21-May-07 (TF)	<	5.0 ug/l
4-Nitrophenol	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 5 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Sample / Bottom Sample (Sample I.D.# : 0705319-01) Collected: 18-May-07 By R. Lovato of PCL						
Diethyl phthalate	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Fluorene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
4-Chlorophenyl phenyl ether	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
4-Nitroaniline	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l
4,6-Dinitro-2-methylphenol	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l
N-Nitrosodiphenylamine	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
4-Bromophenyl phenyl ether	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Hexachlorobenzene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Pentachlorophenol	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l
Phenanthrene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Anthracene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Carbazole	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Di-n-butyl phthalate	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzidine	EPA 625	AE72118	10.0	21-May-07 (TF)	<	10.0 ug/l
Fluoranthene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Pyrene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzyl Butyl Phthalate	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzo (a) anthracene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
3,3'-Dichlorobenzidine	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Chrysene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Bis(2-ethylhexyl)phthalate	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Di-n-octyl phthalate	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzo (b) fluoranthene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzo (k) fluoranthene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzo (a) pyrene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Indeno (1,2,3-cd) pyrene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Dibenz (a,h) anthracene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Benzo (g,h,i) perylene	EPA 625	AE72118	2.0	21-May-07 (TF)	<	2.0 ug/l
Surrogate: 2-Fluorophenol	EPA 625	AE72118		21-May-07 (TF)		40.7 % (13.6-124)
Surrogate: Phenol-d6	EPA 625	AE72118		21-May-07 (TF)		47.3 % (7.81-125)

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 6 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Sample / Bottom Sample (Sample I.D.# : 0705319-01) Collected: 18-May-07 By R. Lovato of PCL						
Surrogate: 2-Chlorophenol-d4	EPA 625	AE72118		21-May-07 (TF)	45.7 % (18-120)	
Surrogate: 1,2-Dichlorobenzene-d4	EPA 625	AE72118		21-May-07 (TF)	36.4 % (30-106)	
Surrogate: Nitrobenzene-d5	EPA 625	AE72118		21-May-07 (TF)	37.4 % (35.1-126)	
Surrogate: 2-Fluorobiphenyl	EPA 625	AE72118		21-May-07 (TF)	41.8 % (34-124)	
Surrogate: 2,4,6-Tribromophenol	EPA 625	AE72118		21-May-07 (TF)	29.3 % (19-155)	
Surrogate: p-Terphenyl-d14	EPA 625	AE72118		21-May-07 (TF)	41.8 % (33-149)	
Perchlorate	EPA 314.0	AE71814	2.00	24-May-07 (ZZZ)	< 2.00 ug/l	
Top Soil / Mud Sample (Sample I.D.# : 0705319-02) Collected: 18-May-07 By R. Lovato of PCL						
Silver	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Arsenic	EPA 6010B	AE72202	25	22-May-07 (AF)	34 mg/kg	
Barium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	57 mg/kg	
Beryllium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Calcium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	37110 mg/kg	
Cadmium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Cobalt	EPA 6010B	AE72202	5.0	22-May-07 (AF)	5.8 mg/kg	
Chromium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	5.0 mg/kg	
Copper	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Potassium	EPA 6010B	AE72202	25	22-May-07 (AF)	1000 mg/kg	
Magnesium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	4100 mg/kg	
Molybdenum	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Sodium	EPA 6010B	AE72202	250	22-May-07 (AF)	1140 mg/kg	
Nickel	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Lead	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Antimony	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Selenium	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Thallium	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Vanadium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	11 mg/kg	
Zinc	EPA 6010B	AE72202	5.0	22-May-07 (AF)	22 mg/kg	

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 7 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Soil / Mud Sample (Sample I.D.# : 0705319-02) Collected: 18-May-07 By R. Lovato of PCL						
Mercury	EPA 7471A	AE72106	0.050	21-May-07 (AF)	<	0.050 mg/kg
Dichlorodifluoromethane (Freon 12)	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Chloromethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Vinyl chloride	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromomethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Chloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Trichlorofluoromethane (Freon 11)	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1-Dichloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Acetone	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Iodomethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Carbon disulfide	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Methylene chloride	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
t-1,2-Dichloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Vinyl Acetate	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
1,1-Dichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
2-Butanone (MEK)	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Chloroform	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,1-Trichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Carbon tetrachloride	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Benzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Trichloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dichloropropane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Dibromomethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromodichloromethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
cis-1,3-Dichloropropene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Methyl isobutyl ketone	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Toluene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
trans-1,3-Dichloropropene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,2-Trichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 8 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Soil / Mud Sample (Sample I.D.# : 0705319-02) Collected: 18-May-07 By R. Lovato of PCL						
Tetrachloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
2-Hexanone	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Dibromochloromethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dibromoethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Chlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,1,2-Tetrachloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Ethylbenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
m,p-Xylene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
o-Xylene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromoform	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
t-1,4-Dichloro-2-butene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,2,2-Tetrachloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2,3-Trichloropropane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
c-1,4-Dichloro-2-butene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Pentachloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,3-Dichlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,4-Dichlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dichlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dibromo-3-chloropropane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
2-Chloroethylvinyl ether	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Acrolein	EPA 624	AE72519	10.0	27-May-07 (MLA)	<	10.0 ug/kg
Acrylonitrile	EPA 624	AE72519	10.0	27-May-07 (MLA)	<	10.0 ug/kg
1,2-Dichloropropylene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Methyl tert-butyl ether	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Surrogate: Dibromofluoromethane	EPA 624	AE72519		27-May-07 (MLA)		91.6 % (80-120)
Surrogate: Toluene-d8	EPA 624	AE72519		27-May-07 (MLA)		90.2 % (80-120)
Surrogate: Bromofluorobenzene	EPA 624	AE72519		27-May-07 (MLA)		124 % (75-125)

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 9 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples

Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Soil / Mud Sample (Sample I.D.# : 0705319-02) Collected: 18-May-07 By R. Lovato of PCL						
N-Nitrosodimethylamine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Phenol	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
Bis(2-chloroethyl)ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Chlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,2-Dichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,3-Dichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,4-Dichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzyl Alcohol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Bis(2-chloroisopropyl)ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Methylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Hexachloroethane	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
N-Nitroso-di-n-propylmine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Methylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Nitrobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Isophorone	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Nitrophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2,4-Dimethylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Bis(2-chloroethoxy)methane	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,2-Diphenylhydrazine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzoic Acid	EPA 625	AE72119	2500	22-May-07 (TF)	<	2500 ug/kg
2,4-Dichlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,2,4-Trichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Naphthalene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Chloroaniline	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
Hexachlorobutadiene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Chloro-3-methylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Methylnaphthalene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Hexachlorocyclopentadiene	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
2,4,6-Trichlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2,4,5-Trichlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 10 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)		RESULT	NOTE
Top Soil / Mud Sample (Sample I.D.# : 0705319-02) Collected: 18-May-07 By R. Lovato of PCL							
2-Chloronaphthalene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
2-Nitroaniline	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg	
Dimethyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Acenaphthylene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
2,6-Dinitrotoluene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Acenaphthene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
3-Nitroaniline	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg	
2,4-Dinitrophenol	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg	
Dibenzofuran	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
2,4-Dinitrotoluene	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg	
4-Nitrophenol	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg	
Diethyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Fluorene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
4-Chlorophenyl phenyl ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
4-Nitroaniline	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg	
4,6-Dinitro-2-methylphenol	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg	
N-Nitrosodiphenylamine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
4-Bromophenyl phenyl ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Hexachlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Pentachlorophenol	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg	
Phenanthrene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Anthracene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Carbazole	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Di-n-butyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Benzidine	EPA 625	AE72119	1000	22-May-07 (TF)	<	1000 ug/kg	
Fluoranthene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Pyrene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
Benzyl Butyl Phthalate	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg	
Benzo (a) anthracene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg	
3,3'-Dichlorobenzidine	EPA 625	AE72119	1000	22-May-07 (TF)	<	1000 ug/kg	

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 11 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
Top Soil / Mud Sample (Sample I.D.# : 0705319-02) Collected: 18-May-07 By R. Lovato of PCL						
Chrysene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Bis(2-ethylhexyl)phthalate	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Di-n-octyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Benzo (b) fluoranthene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Benzo (k) fluoranthene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Benzo (a) pyrene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Indeno (1,2,3-cd) pyrene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Dibenz (a,h) anthracene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Benzo (g,h,i) perylene	EPA 625	AE72119	100	22-May-07 (TF)	< 100 ug/kg	
Surrogate: 2-Fluorophenol	EPA 625	AE72119		22-May-07 (TF)	90.4 % (13.6-124)	
Surrogate: Phenol-d6	EPA 625	AE72119		22-May-07 (TF)	98.1 % (7.81-125)	
Surrogate: 2-Chlorophenol-d4	EPA 625	AE72119		22-May-07 (TF)	85.1 % (18-111)	
Surrogate: 1,2-Dichlorobenzene-d4	EPA 625	AE72119		22-May-07 (TF)	62.0 % (30-106)	
Surrogate: Nitrobenzene-d5	EPA 625	AE72119		22-May-07 (TF)	80.0 % (35.1-126)	
Surrogate: 2-Fluorobiphenyl	EPA 625	AE72119		22-May-07 (TF)	72.8 % (34-124)	
Surrogate: 2,4,6-Tribromophenol	EPA 625	AE72119		22-May-07 (TF)	87.2 % (19-155)	
Surrogate: p-Terphenyl-d14	EPA 625	AE72119		22-May-07 (TF)	72.8 % (33-149)	
Perchlorate	EPA 314.0	AE72416	40	24-May-07 (ZZZ)	< 40 ug/kg	
White Residue (Sample I.D.# : 0705319-03) Collected: 18-May-07 By R. Lovato of PCL						
Silver	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Arsenic	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Barium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	27 mg/kg	
Beryllium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Calcium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	19280 mg/kg	
Cadmium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Cobalt	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Chromium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	7.0 mg/kg	
Copper	EPA 6010B	AE72202	5.0	22-May-07 (AF)	5.9 mg/kg	
Potassium	EPA 6010B	AE72202	25	22-May-07 (AF)	2100 mg/kg	
Magnesium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	30000 mg/kg	
Molybdenum	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 12 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
White Residue (Sample I.D.# : 0705319-03) Collected: 18-May-07 By R. Lovato of PCL						
Sodium	EPA 6010B	AE72202	250	22-May-07 (AF)	33000 mg/kg	
Nickel	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Lead	EPA 6010B	AE72202	5.0	22-May-07 (AF)	< 5.0 mg/kg	
Antimony	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Selenium	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Thallium	EPA 6010B	AE72202	25	22-May-07 (AF)	< 25 mg/kg	
Vanadium	EPA 6010B	AE72202	5.0	22-May-07 (AF)	21 mg/kg	
Zinc	EPA 6010B	AE72202	5.0	22-May-07 (AF)	22 mg/kg	
Mercury	EPA 7471A	AE72106	0.050	21-May-07 (AF)	< 0.050 mg/kg	
Dichlorodifluoromethane (Freon 12)	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Chloromethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Vinyl chloride	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Bromomethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Chloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Trichlorofluoromethane (Freon 11)	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
1,1-Dichloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Acetone	EPA 624	AE72519	2.0	27-May-07 (MLA)	< 2.0 ug/kg	
Iodomethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Carbon disulfide	EPA 624	AE72519	2.0	27-May-07 (MLA)	< 2.0 ug/kg	
Methylene chloride	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
t-1,2-Dichloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Vinyl Acetate	EPA 624	AE72519	2.0	27-May-07 (MLA)	< 2.0 ug/kg	
1,1-Dichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
2-Butanone (MEK)	EPA 624	AE72519	2.0	27-May-07 (MLA)	< 2.0 ug/kg	
Chloroform	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
1,1,1-Trichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Carbon tetrachloride	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Benzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
1,2-Dichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	
Trichloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	< 0.5 ug/kg	

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 13 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
White Residue (Sample I.D.# : 0705319-03) Collected: 18-May-07 By R. Lovato of PCL						
1,2-Dichloropropane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Dibromomethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromodichloromethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
cis-1,3-Dichloropropene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Methyl isobutyl ketone	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Toluene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
trans-1,3-Dichloropropene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,2-Trichloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Tetrachloroethene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
2-Hexanone	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Dibromochloromethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dibromoethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Chlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,1,2-Tetrachloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Ethylbenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
m,p-Xylene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
o-Xylene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromoform	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
t-1,4-Dichloro-2-butene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Bromobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,1,2,2-Tetrachloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2,3-Trichloropropane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
c-1,4-Dichloro-2-butene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Pentachloroethane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,3-Dichlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,4-Dichlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dichlorobenzene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
1,2-Dibromo-3-chloropropane	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
2-Chloroethylvinyl ether	EPA 624	AE72519	2.0	27-May-07 (MLA)	<	2.0 ug/kg
Acrolein	EPA 624	AE72519	10.0	27-May-07 (MLA)	<	10.0 ug/kg

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 14 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
White Residue (Sample I.D.# : 0705319-03) Collected: 18-May-07 By R. Lovato of PCL						
Acrylonitrile	EPA 624	AE72519	10.0	27-May-07 (MLA)	<	10.0 ug/kg
1,2-Dichloropropylene	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
Methyl tert-butyl ether	EPA 624	AE72519	0.5	27-May-07 (MLA)	<	0.5 ug/kg
<i>Surrogate: Dibromofluoromethane</i>	<i>EPA 624</i>	<i>AE72519</i>		<i>27-May-07 (MLA)</i>		<i>90.4 % (80-120)</i>
<i>Surrogate: Toluene-d8</i>	<i>EPA 624</i>	<i>AE72519</i>		<i>27-May-07 (MLA)</i>		<i>90.8 % (80-120)</i>
<i>Surrogate: Bromofluorobenzene</i>	<i>EPA 624</i>	<i>AE72519</i>		<i>27-May-07 (MLA)</i>		<i>119 % (80-120)</i>
N-Nitrosodimethylamine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Phenol	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
Bis(2-chloroethyl)ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Chlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,2-Dichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,3-Dichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,4-Dichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzyl Alcohol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Bis(2-chloroisopropyl)ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Methylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Hexachloroethane	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
N-Nitroso-di-n-propylmine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Methylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Nitrobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Isophorone	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Nitrophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2,4-Dimethylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Bis(2-chloroethoxy)methane	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,2-Diphenylhydrazine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzoic Acid	EPA 625	AE72119	2500	22-May-07 (TF)	<	2500 ug/kg
2,4-Dichlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
1,2,4-Trichlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Naphthalene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Chloroaniline	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 15 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
White Residue (Sample I.D.# : 0705319-03) Collected: 18-May-07 By R. Lovato of PCL						
Hexachlorobutadiene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Chloro-3-methylphenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Methylnaphthalene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Hexachlorocyclopentadiene	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
2,4,6-Trichlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2,4,5-Trichlorophenol	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Chloronaphthalene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2-Nitroaniline	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
Dimethyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Acenaphthylene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2,6-Dinitrotoluene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Acenaphthene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
3-Nitroaniline	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
2,4-Dinitrophenol	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg
Dibenzofuran	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
2,4-Dinitrotoluene	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
4-Nitrophenol	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg
Diethyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Fluorene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Chlorophenyl phenyl ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Nitroaniline	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg
4,6-Dinitro-2-methylphenol	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
N-Nitrosodiphenylamine	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
4-Bromophenyl phenyl ether	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Hexachlorobenzene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Pentachlorophenol	EPA 625	AE72119	500	22-May-07 (TF)	<	500 ug/kg
Phenanthrene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Anthracene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Carbazole	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Di-n-butyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: **EnviroReporter.com**

Page 16 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples


Project/P.O.#: [none]

PARAMETER	METHOD	QC BATCH	REPORTING LIMIT	ANALYZED (ANALYST)	RESULT	NOTE
White Residue (Sample I.D.# : 0705319-03) Collected: 18-May-07 By R. Lovato of PCL						
Benzidine	EPA 625	AE72119	1000	22-May-07 (TF)	<	1000 ug/kg
Fluoranthene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Pyrene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzyl Butyl Phthalate	EPA 625	AE72119	250	22-May-07 (TF)	<	250 ug/kg
Benzo (a) anthracene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
3,3'-Dichlorobenzidine	EPA 625	AE72119	1000	22-May-07 (TF)	<	1000 ug/kg
Chrysene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Bis(2-ethylhexyl)phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Di-n-octyl phthalate	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzo (b) fluoranthene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzo (k) fluoranthene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzo (a) pyrene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Indeno (1,2,3-cd) pyrene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Dibenz (a,h) anthracene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Benzo (g,h,i) perylene	EPA 625	AE72119	100	22-May-07 (TF)	<	100 ug/kg
Surrogate: 2-Fluorophenol	EPA 625	AE72119		22-May-07 (TF)		94.4 % (13.6-124)
Surrogate: Phenol-d6	EPA 625	AE72119		22-May-07 (TF)		101 % (7.81-125)
Surrogate: 2-Chlorophenol-d4	EPA 625	AE72119		22-May-07 (TF)		90.4 % (18-111)
Surrogate: 1,2-Dichlorobenzene-d4	EPA 625	AE72119		22-May-07 (TF)		65.2 % (30-106)
Surrogate: Nitrobenzene-d5	EPA 625	AE72119		22-May-07 (TF)		82.8 % (35.1-126)
Surrogate: 2-Fluorobiphenyl	EPA 625	AE72119		22-May-07 (TF)		77.6 % (34-124)
Surrogate: 2,4,6-Tribromophenol	EPA 625	AE72119		22-May-07 (TF)		85.6 % (19-155)
Surrogate: p-Terphenyl-d14	EPA 625	AE72119		22-May-07 (TF)		72.8 % (33-149)
Perchlorate	EPA 314.0	AE72416	40	24-May-07 (ZZZ)	<	40 ug/kg

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007



PAT-CHEM LABORATORIES

11990 Discovery Ct. • Moorpark, CA 93021 • Ph. (805) 532-0012 • Fax (805) 532-0016

Customer: EnviroReporter.com

Page 17 of 17

Attention: Michael Collins
Report Date: 30-May-07 13:49
Subject: Misc. Samples

Project/P.O.#: [none]

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis

Respectfully Submitted,

Pat Brueckner
Laboratory Director

5/30/2007